



# PRODUCT DATASHEET

Floor cleaning - Maintenance cleaners

## Wetrok Libero

Versatile and surfactant-free maintenance cleaner - for  
conductive floor coverings, conforms to DIN 18032





# Wetrok Libero



**pH value (Concentrate):** 6.5–7.5

**Important ingredients:**

Oils, Preservatives

**Recommended dosage:**



**Maintenance cleaning**

0.05 l-0.2 l/10 l



**Intermediate cleaning**

0.2 l-0.3 l/10 l



**Tread safety**

0.05 –0.1 l/10 l



**Sports hall floorings**

0.1–0.2 l/10 l



**Dance floors**

0.2–0.3 l/10 l



**Spray extraction**

0.2 l/10 l



**Carpet pad method**

2 l/10 l



**Polishing**

Undiluted (100%)

**METHODS  
finder**

## APPLICATION

- Versatile surfactant-free maintenance cleaner
- For maintenance cleaning of washable surfaces and floor coverings (PVC, natural and artificial stone, clinker, linoleum, natural rubber, etc.)
- Also suitable for cleaning sealed and oiled wood floors
- Suitable for carpet cleaning
- For cleaning windows and glass surfaces
- Also suitable for cleaning and maintaining smooth leather if used undiluted

## PROPERTIES

- Surfactant-free microemulsion-based universal cleaner
- The microemulsion reduces dirt adhesion
- pH-neutral
- Solvent-free
- Unscented
- Non-hazardous
- Suitable for conductive floor coverings
- Conforms to DIN 18032

## GOOD TO KNOW

- Over-dosage (>3%) will reduce tread safety!
- Ensure colour-fastness before using the product on smooth leather

## RECOMMENDED APPLICATION METHOD

### Scrub drying in a single work step

Pour the cleaning solution into the fresh water tank. Remove any loose dirt by means of dust-binding mopping/dry vacuuming. Scrub-dry the floor covering thoroughly with a scrubber-dryer and a suitable pad or brush.

### Wet mopping, single work step

Remove any loose dirt (e.g. dust-binding mopping/dry vacuuming). Soak the mop with cleaning solution, wring it out well, or use a pre-wetted mop. Wet mop the floor covering.

## STORAGE

Store in original container at 15 to 25°C and protected from sunlight. Keep container closed when not in use.

*Durability (unopened): 24 Month*

Wetrok AG shall have no liability whatsoever for damage caused by incorrect use. Observe special cleaning and care instructions from the floor covering manufacturer.



# Wetrok Libero

