

Skin Care  
at Work

**Sterisol**

# STERISOL Hand Disinfectant Ethanol

## Properties

---

Sterisol Hand Disinfectant Ethanol is an alcohol- based hand disinfectant containing 70 % w/w Ethanol and 10 % w/w propan-2-ol as active ingredients. The product is denaturated with propan-2-ol and t-Butyl and contains glycerin as a humectant as well as a thickening agent. The product is designated for frequent use and contains no perfume.

Used with dispenser for 0,7 liter.



## Fields of application

---

### *Hygienic hand disinfection*

The product is suitable for hygienic application within the health care sector, food industry, kindergardens and all other sectors.



## Efficacy

---

- Rapid and effective
- Broad effect against bacteria
- Good effect against virus
- Effect against Yeast
- No effect against spores

## Tester

---

The product fulfills the demand of:

- EN 1500 - Hygienic handrub
- EN 12791 - Surgical handrub
- EN 13727 - Bactericidal efficacy
- EN 13624 - Yeasticidal efficacy
- EN14476:2013 - prA2:2016 mot MVA

## Classification

---

Hygienic hand disinfectant, classified as biocidal product acc. Regulation (EU) No 528/2012 - PT1.

## Environmental aspects

---

Low amount of packaging. One 700 ml refill contains of 11-gram plastic material – compared to a traditional bottle of 70 gram. See also below.

## Ingredients

---

Active ingredients, Ethanol (70 % w/w), Propan-2-ol (10 % w/w).

Other ingredients: Aqua, Glycerin, t-Butyl Alcohol, Carbomer, Aminomethyl Propanol

Content of alcohol: 80 % w/w, 85 % v/v



Packaging	Art no	No / ctn	No ctns / pallet	No on pallet	EAN-code	Amount of packaging / litre product
700 ml	4106/7106	12	72	864	7392173041069	70 gram
Flammable liquid. Transp classification Class 3, Limited quantities					HS 38089490	

## Usage instructions

---

### *Hygienic hand disinfection*

Apply not less than 3 ml Sterisol Hand disinfectant Ethanol (two separate dosages when using StS 0,7 l) on your dry hands. Rub to dryness (at least 30 seconds) Cover all surfaces of your hands and wrists. Let your hands dry in the air. Repeat the procedure once more.

### *Surgical hand disinfection, immediate effect*

1. Before applying Sterisol Hand Disinfectant, pre-wash hands and forearms with Sterisol Liquid Soap. Dry hands completely using sterile paper towels.
2. Dispense required amount of hand disinfectant onto hands.
3. Ensure Sterisol Hand Disinfectant covers all surfaces of hands, wrists and forearms to elbows.

### *Glove puncture during a procedure*

If, during surgery, the gloves become punctured or torn, they should be removed. At this stage the hands can easily be further decontaminated. Sterisol Hand Disinfectant should be used according to instructions above.

## Important!

1. Ensure a visibly clean, dry hand before applying Sterisol Hand Disinfectant
2. Ensure that you rub your hands for at least 30 sec. each time for hygienic hand disinfection, and at least 3 minutes for surgical hand disinfection.
3. There is a number of alternative methods for preparing the hands, nails and forearms prior to undertaking a surgical procedure. Method in this instruction is one example recommended. The principle of surgical disinfection will follow the guidelines issued by local authority.



### Examples of dispensers for the 700 ml system



Art No 4551



Art No 4546  
Automatic dispenser



Art Nr 4567