

General instructions for cleaning and care

no.7  PVC (smooth)
















**cleaning system with treatment
end of construction**

object _____
address _____
room classification _____

date _____
customer _____
representative _____

work process: select one work stage from each number

cleaning method	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1  dry vacuum cleaning			Dust roller nozzle Neverclog filter without ring Filter bag with ring	Twinvac / Duovac / Silento /	large areas: sweeping
2  dusting damp mopping			V Masslinn 2000/Floorwit white Multi squeegee/	Balit Varifix/ Balit/	
cleaning without maintenance care product (if coating follows)					
3  wet mopping direct method	Ecofloor V Antiwax forte V Reshine	0.5 - 1% 2 - 5% 3 - 5%	Micro-Mop Top/ Microsol mop/	Socar / Drewell	
3  scrubber drying direct method	Ecofloor V Antiwax forte V Reshine	0.5 - 1% 2 - 5% 3 - 5%	● Pad red/ V ● Pad blue/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	
3  wet scrubbing and wet vacuuming	Antiwax forte Remat	2 - 5% 1 - 5%	● Pad blue/ V ● Pad green/	Monomatic LS / Watertank Duovac /	heavily soiled  
cleaning with maintenance care (first protective treatment with same product as in maintenance cleaning)					
4  wet mopping direct method	Redur	3%	Flat mop/ Micro-Mop Top/	Socar / Drewell Wetcar / Drewell	
4  scrubber drying direct method	Redur	3%	● Pad red/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	
4  spray cleaning full spray	Polyspray Elfspray	100% 100%	● Pad red/ P ● Pad yellow/	Monomatic DS / Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

important: When spray cleaning, you should change your pad often

General instructions for cleaning and care

no.7  PVC (smooth)



maintenance cleaning

object _____

date _____
























address _____

customer _____

room classification _____

representative _____

work process: select one work stage from each number

cleaning method	frequency	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1  dusting damp mopping	<input type="checkbox"/>			V Masslinn / Floorwit Synthetic fur Multi squeegee/	Balit Varifix/ Balit/	
2  chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100%			if needed 
cleaning without maintenance						
3  wet mopping direct method	<input type="checkbox"/>	Ecofloor Reshine Alcosal	0.5 - 1% 1 - 2% 1 - 2%	Mop Microbrush/ Micro-Mop Top/ Mop Variwet	Wetbox system Socar / Drewell Variwet / B. Varifix	
3  scrubber drying direct method	<input type="checkbox"/>	Ecofloor Reshine Libero	0.5 - 1% 1 - 2% 0.5 - 3%	 Pad red/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	
3  polishing, vacuum polishing	<input type="checkbox"/>			B  Pad Blue Ice/ B  Microsol fibre pad/	Monomatic HS / Suction ring Monon	after polishing 
cleaning with maintenance						
3  wet mopping direct method	<input type="checkbox"/>	Redur	1%	Mop Microbrush/ Micro-Mop Top/ Mop Variwet	Wetbox system Socar / Drewell Variwet / B. Varifix	
3  scrubber drying direct method	<input type="checkbox"/>	Redur	1%	 Pad red/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	
3  spray cleaning partial spray	<input type="checkbox"/>	Polyspray Elspray	100% 100%	 Pad red/ P  Pad yellow/	Monomatic DS / Spray unit	after polishing 
3  US spray cleaning partial spray	<input type="checkbox"/>	B US Restorer	100%	P  US pad pink/ P  US pad yellow/	Monomatic US / Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

General instructions for cleaning and care

no.7  PVC (smooth)



interim cleaning

object _____

date _____

























address _____

customer _____

room classification _____

representative _____

work process: select one work stage from each number

	cleaning method	frequency	recommendations * chemical products	dosage	recommendations * pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping	<input type="checkbox"/>			V Masslinn / Floorwit Synthetic fur Multi squeegee/	Balit Varifix/ Balit/	
1	 dry vacuum cleaning	<input type="checkbox"/>			V Dust roller nozzle	Monovac / Scuba	large areas: sweeping
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100%			if needed 
cleaning without maintenance							
3	 wet mopping indirect method	<input type="checkbox"/>	Reshine F Antiwax forte G Rewit 2000	3 - 5% 2 - 5% 2 - 5%	V Mop Microbrush/ Micro-Mop Top/ Flat mop/	Wetbox system Socar / Drewell	 
3	 scrubber drying indirect method	<input type="checkbox"/>	Reshine F Antiwax forte G Rewit 2000	3 - 5% 2 - 5% 2 - 5%	V  Pad red/  Pad blue/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	 
3	 polishing, vacuum polishing	<input type="checkbox"/>			B  Pad Blue Ice/ B  Microsol fibre pad/	Monomatic HS / Suction ring Monor	after polishing 
cleaning with maintenance							
3	 spray cleaning full spray	<input type="checkbox"/>	Polyspray Elfspray	100% 100%	P  Pad red/  Pad yellow/	Monomatic DS / Spray unit	after polishing 
3	 US spray cleaning full spray	<input type="checkbox"/>	B US Restorer	100%	P  US pad pink/  US pad yellow/	Monomatic US / Spray unit	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

important: When spray cleaning, you should change your pad often
For initial cleaning after interim cleaning, see "initial cleaning".

General instructions for cleaning and care

no.7  PVC (smooth)



basic cleaning

object _____

date _____


























address _____

customer _____

room classification _____

representative _____

work process: select one work stage from each number

	cleaning method	frequency	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping	<input type="checkbox"/>			V Masslinn / Floorwit Synthetic fur Multi squeegee/	Balit Varifix / Balit/	
1	 dry vacuum cleaning	<input type="checkbox"/>			V Dust roller nozzle	Monovac / Scuba	
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100%			if needed 
cleaning without maintenance							
3	 wet scrubbing and wet vacuuming	<input type="checkbox"/>	Remat forte	10 - 20%	V  Pad green/  Pad black/	Monomatic I / Duovac / Monomatic LS /	  
3	 scrubber drying indirect method	<input type="checkbox"/>	Remat forte	10 - 20%	V  Pad green/  Pad black/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	   
3	 spray cleaning full spray	<input type="checkbox"/>	C Antiwax forte	30 - 50%	 Pad green/	Monomatic I / Spray unit	
4	rinsing 	<input type="checkbox"/>	pure water		 Pad green/  Microsol fibre pad/	Monomatic I / Duovac / Duomatic / Laser	after spray cleaning not necessary  

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

important:

change pad often

Use a coin or a key to do a scratch test, to check if all the protective coating has been removed.

When white abrasion occurs, carry out a full clean to remove all the protective coating

For initial cleaning after basic cleaning, see "initial cleaning".

General instructions for cleaning and care

no.7  PVC (smooth)



protective treatment

object _____

date _____












address _____

customer _____

room classification _____

representative _____

work process: select one work stage from each number

	cleaning method	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 dusting damp mopping			Masslinn 2000/Floorwit white Synthetic fur	Balit Varifix/ Balit/	
coating						
2	 coating	Mepol HM Mepol H Mepol HX	100% 100% 100%	Cover for Florfix Flat mop/	Florfix/ Drewell/ Buket plast 22l	1 - 3 thin layers  
2	 waxing	Polish	100%	Cover for Florfix Flat mop/	Florfix/ Drewell/ Buket plast 22l	1 - 3 thin layers  
buffing wax treatment (only if necessary)						
3	 dusting damp mopping			Masslinn 2000/Floorwit white Synthetic fur	Balit Varifix/ Balit/	
4	 polishing, vacuum polishing			C  Pad yellow/	Monomatic HS / Suction ring Monon Monomatic DS /	after polishing 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

important: before protective treatment: the floor must be perfectly stripped, thoroughly rinsed and completely dry!
Let dry protection treatment completely between the layers and before use
Process treatment of protection: see description of method
For initial cleaning with maintenance cleaner after protective treatment, see "initial cleaning".

General instructions for cleaning and care


no.7 PVC (smooth)



Information about the flooring




Wetrok AG cannot accept any liability for damages due to improper use.
For security information, see the safety data sheet at www.wetrok.ch.
Wear protection: gloves, safety goggles, work clothes
Follow the information and remarks on the label, product data sheet and material safety data sheet.
The product data sheet describes the product and gives information about its application, storage. See www.wetrok.ch
The recommended colours of pad and brushes consist to the actual wWetrok product range
Follow the special cleaning and care instructions of the floor manufacturer
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



PVC floor coverings are sensitive to certain solvents such as ketone, ester and chlorinated hydrocarbon.

PVC floor coverings are sensitive to cigarette burns, glowing cigarettes and deposit marks.
PVC floor coverings are very resistant to strong alkalines and acids.
Fat-soluble colorants such as shoe polish or asphalt can penetrate into PVC floor coverings: diffusion



PVC is a synthetic covering made from polyvinylchloride (PVC), softeners, fillers and colour pigments.
Homogeneous PVC floor coverings consist of one or more layers with the same composition.
Polyurethane surfaces are insensitive to cigarette burns, glowing cigarettes and deposit marks.

Distinguishing feature: fire assay with a glowing hot needle in an inconspicuous place: the needle penetrates, acrid smell, crater cannot be removed with fingers.



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.
Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.
Test on an inconspicuous spot to find which product is suitable for your requirements.
Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.
Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.
For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, Tel +41 (0)43 255 51 51, info@wetrok.ch, www.wetrok.ch, www.wetrok.com